INTERIOR AESTHETIC ARMOR COATING


DNS INFRATECH
DEVELOPING NEO SKILLS
TURNKEY PROJECT SOLUTIONS
AN ISO 9001:2015 CERTIFIED CO.

COURSE OF ACTION

- Surface cleaning Removal of the loose particles
- Two Coats of Acrylic Putty
- One Coat of Primer
- Two coats of Top Finish


AMPC PAINT (ANTIMICROBIAL INTERIOR COATING)

Hotels | Restaurants | Commercials




WCPU PAINT (ANTI-FUNGALINTERIOR COATING)

College | School | Hospital



INKO ECONOMICAL PAINT

Industrial Plants | Shops



COURSE OF ACTION

- Surface cleaning Removal of the loose particles
- Application of the Two/ Three Coats of Top Finish

H_2O REPELLENT EXTERIOR COATING

DNS INFRATECH
DEVELOPING NEO SKILLS
TURNKEY PROJECT SOLUTIONS
AN ISO 9001:2015 CERTIFIED CO.


ULTIMATE PROTECTIVE COAT (5 COATS SYSTEM)

Course of Action

- Surface cleaning Removal of the loose particles
- One coat of Sealer
- Two coats of Intermediate
- Two coats of top finish



DURABLE PROTECTIVE COAT (4 COATS SYSTEM)




Course of Action

- Surface cleaning Removal of the loose particles
- Two Coat of Intermediate
- Two Coats of Top Finish

BUDGETGUARD EXTERIOR PAINT (3 COATS SYSTEM)

Course of Action

- Surface cleaning Removal of the loose particles
- One Coat of Primer
- Two Coats of Top Finish



WATERPROOF COATING

DNS INFRATECH
Developing Neo Skills
Turnkey Project Solutions
AN ISO 9001:2015 CERTIFIED CO.

CONCRETE ROOF BY PMCC

Polymerised Modified Cementious Coating

Seals The Porosity
Of The Surface

Water Proofing



Course of Action


- Surface cleaning
  Removal of the loose particles
- One coat of primer
- Two Coats Of PMCC

CONCRETE ROOF BY SANDWICH PROCESS

Water Based Epoxy Coating

Course of Action

- Surface cleaning
  Removal of the loose particles
- Two Coats Of
  Water-based Epoxy ↔ Seals The Porosity
  Of The Surface Adhesion
  Of Mother Slab
- Sprinkling The Mix
  Of Cement And Sand ↔ Surface Roughness For
  The Adhesion Of New PCC




WATER TANKS & COOLING TOWERS

Epoxy Component System - 5 Coats

Seals The Porosity
Adhesion Surface
Smoothness With
Waterproofing Effects

Aesthetic | Insulation
Antifungal | Anti Fading




Course of Action

- Surface cleaning
  Removal of the
  loose particles
- One Coat Of Primer
  Two Coats Of Putty
- Two Coats Of
  Water-based Epoxy

SUSTAINABLE COATINGS

DNS INFRATECH
DEVELOPING NEO SKILLS
TURNKEY PROJECT SOLUTIONS
AN ISO 9001:2015 CERTIFIED CO.


METAL ROOF



Course of Action

- Surface cleaning Removal of the loose particles
- One coat of primer
- Two coats of Top Finish


CONCRETE ROOF



Course of Action

- Surface Cleaning Removal of the loose particles
- One Coat Of Sealer
- Two Coats Of Intermediate Coating
- Two coats of Top finish


PAVER BLOCK



Course of Action

- Surface cleaning removal of the loose particles
- Two Coats Of Top Finish

BRIDGE STRUCTURE



Course of Action

- Surface cleaning removal of the loose particles
- One coat of Primer
- Two coats of Top Finish


O_2 BLOCKER ANTI-CORROSION COATING


DNS INFRATECH
DEVELOPING NEO SKILLS
TURNKEY PROJECT SOLUTIONS
AN ISO 9001:2015 CERTIFIED CO.

M.S STRUCTURE COATING

Course of Action

- Surface cleaning
  Removal of the loose particles
- One coat of primer
- Two coats of Top Finish





SILO STORAGE TANKS


Course of Action

- Surface cleaning
  Removal of the loose particles
- One coat of primer
- Two coats of Top Finish

ETP & STP


Course of Action

- Surface cleaning
  Removal of the loose particles
- One coat of primer
- Two Coats Of Top Finish



e-PU SEAMLESS FLOORING

DNS INFRATECH
DEVELOPING NEO SKILLS
TURNKEY PROJECT SOLUTIONS
AN ISO 9001:2015 CERTIFIED CO.




250-300 Microns	Low Cost With Load Resistance Upto 300kgs
1 Mm Flooring	Load Resistant Upto 750- 1 Ton
2 Mm Flooring	Load Resistant Upto 1.5 Ton - 2 Ton
3 Mm Flooring (2+1)	Screeding With Load Resistance Upto 2.5 Ton - 3 Ton
5 Mm Flooring (3+2)	Screeding With Load Resistance Upto 4.5 Ton - 5ton



Epoxy Flooring




Tile Groutling



Epoxy Coving

Kota Joints



Pavement Marking

